



**EFFECTIVE FROM  
MARCH 2025**

# **EXPORT CATALOGUE ADAS SYSTEMS & DIAGNOSIS**

**REL. MAY 2025**

The pictures included in the present illustrated catalogue, are only intended to show the product and are therefore not binding. The company reserves the right to make in every moment and without prior notice, any modification deemed necessary.

NEXION S.p.A. declines any responsibility for any complaint coming from the use of not original accessories or spares with consequent forfeiture of the CE conformity declaration.

# INDEX

## FRONT SENSORS CALIBRATION EQUIPMENT

PROADAS RS DIGITAL	4
PROADAS TS DIGITAL	5
PROADAS TS-3D DIGITAL	6
PROADAS START DIGITAL	7
PROADAS RS V1	8
PROADAS TS V1	9
PROADAS TS-3D V1	10
PROADAS START V1	11
PROADAS OPTIONAL ACCESSORIES	12

## SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT

19

## RADAR CALIBRATION EQUIPMENT

22

SCE 310	22
ACCESSORIES FOR SCE 300 / 310	23

## NIGHT SENSOR CALIBRATION EQUIPMENT

27

## ACCESSORIES

28

## IONE REMOTE

32

LIST OF SERVICE IONE REMOTE	32
-----------------------------	----


## SELF-DIAGNOSIS

34



IONE CRUISER	34
OPTIONAL ACCESSORIES FOR IONE CRUISER	35
ACCESSORIES FOR ADAS & DIAGNOSIS	38

# FRONT SENSORS CALIBRATION EQUIPMENT

## PROADAS RS DIGITAL



### PROADAS RS DIGITAL



PN	Power Supply	Description	
0-62103301/00	110-230/1ph/50-60Hz	<b>PROADAS RS DIGITAL</b> The RS Digital kit is designed for customers not having a wheel aligner and is composed by: PROADAS SCE 910, Radar panel, Optical sensors adjustment kit, Kit HL v.2, n. 2 BT laser pointers, Laser pointer support for bracket, Steering lock, License for wheel alignment pre-check, Short bar kit with pins, 75" Monitor, Mini-PC for digital targets reproduction for the front camera. Four (4) brackets are needed (not included as standard).	
8-62100123		<b>Functionality license</b> PROADAS DIGITAL, 12 months subscription (compulsory)	
8-62200089		<b>Customization kit</b> PROADAS RS DIGITAL (compulsory)	



## PROADAS TS DIGITAL



### PROADAS TS DIGITAL

PN	Power Supply	Description	
0-62103401/00	110-230/1ph/50-60Hz	<b>PROADAS TS DIGITAL</b> The TS Digital kit is designed for customers having a NEXION CCD/CMOS wheel aligner and is composed by : PROADAS SCE 910, Radar panel, HL. V.2 Kit, n. 2 BT laser pointers, Short radar bar kit with pins, Laser pointer support for bracket, 75" Monitor, Monitor cover, Mini-PC for digital targets reproduction for the front camera, data exchange kit wheel aligners - PROADAS.	
8-62100123		<b>Functionality license</b> PROADAS DIGITAL, 12 months subscription (compulsory)	
8-62200090		<b>Customization kit</b> PROADAS TS DIGITAL (compulsory)	



## PROADAS TS-3D DIGITAL



### STANDARD ACCESSORIES





### PROADAS TS-3D DIGITAL

PN	Power Supply	Description	
0-62103501/00	110-230/1ph/50-60Hz	<b>PROADAS TS-3D DIGITAL</b> The TS-3D Digital kit is designed for customers having a NEXION new generation camera wheel aligner and is composed by: PROADAS SCE 910, Radar panel, n. 2 BT laser pointers, Laser pointer support for bracket, Long radar bar kit, 3D Target kit, 75" Monitor, Monitor cover, Mini-PC for digital targets reproduction for the front camera, data exchange kit wheel aligner - PROADAS.	
8-62100123		<b>Functionality license</b> PROADAS DIGITAL, 12 months subscription (compulsory)	
8-62200091		<b>Customization kit</b> PROADAS TS-3D DIGITAL (compulsory)	

## PROADAS START DIGITAL





### PROADAS START DIGITAL

PN	Power Supply	Description	
0-62103601/00	110-230/1ph/50-60Hz	<b>PROADAS START DIGITAL</b> The START kit is composed by : PROADAS SCE 910, Radar panel,n, 2 laser pointers, START alignment kit, Long radar bar kit, 75" Monitor, Mini-PC for digital targets reproduction for the front camera. Two (2) brackets are needed (not included as standard).	
8-62100123		<b>Functionality license</b> PROADAS DIGITAL, 12 months subscription (compulsory)	
8-62200092		<b>Customization kit</b> PROADAS START DIGITAL (compulsory)	





# FRONT SENSORS CALIBRATION EQUIPMENT

## PROADAS RS V1




### PROADAS RS V1

PN	Power Supply	Description	
0-62103701/00	110-230V/1PH/60-60HZ	<b>PROADAS RS V1</b> The RS V1 kit is designed for customers not having a wheel aligner and is composed by: PROADAS SCE 910, Radar panel, Optical sensors adjustment kit, Laser pointer support for bracket, Steering lock, License for wheel alignment pre-check; Short bar kit.Four (4) brackets are needed, NOT INCLUDED AS STANDARD.	
8-62100012		<b>Functionality license</b> ,12 months subscription (compulsory)	
8-62200093		RS V1 <b>customization kit</b> (compulsory)	





# FRONT SENSORS CALIBRATION EQUIPMENT

## PROADAS TS V1




### PROADAS TS V1



PN	Power Supply	Description	
0-62103801/00	110-230V/1PH/60-60HZ	<b>PROADAS TS V1</b> The TS V1 kit is designed for customers having a NEXION CCD/CMOS wheel aligner and is composed by : PROADAS SCE 910, Radar panel, HL. V.2 Kit, Short radar bar kit with pins, Laser pointer support for bracket, data exchange kit wheel aligner - PROADAS.	
8-62100012		<b>Functionality license</b> , 12 months subscription (compulsory)	
8-62200094		TS V1 <b>customization kit</b> (compulsory)	



# FRONT SENSORS CALIBRATION EQUIPMENT

## PROADAS TS-3D V1




### PROADAS TS-3D V1





PN	Power Supply	Description	
0-62103901/00	110-230/1ph/50-60Hz	<b>PROADAS TS-3D V1</b> The TS-3D V1 kit is designed for customers having a NEXION new generation camera wheel aligner and is composed by : PROADAS SCE 910, Radar panel, n. 2 BT laser pointers, Laser pointer support for bracket, Long radar bar kit, 3D target kit, data exchange kit wheel aligner - PROADAS.	
8-62100012		<b>Functionality license</b> , 12 months subscription (compulsory)	
8-62200095		TS-3D V1 <b>customization kit</b> (compulsory)	

# FRONT SENSORS CALIBRATION EQUIPMENT

## PROADAS START V1







### PROADAS START V1

PN	Power Supply	Description	
0-62104001/00	110-230/1ph/50-60Hz	<b>PROADAS START V1</b> The START V1 kit is composed by : PROADAS SCE 910, Radar panel, START alignment kit, Long radar bar kit. Two (2) brackets are needed, NOT INCLUDED AS STANDARD	
8-62100012		<b>Functionality license</b> , 12 months subscription (compulsory)	
8-62200096		START V1 <b>customization kit</b> (compulsory)	







# PROADAS OPTIONAL ACCESSORIES





PN	Picture	Description	RS	TS	TS-3D	START
<b>COMPLEMENTS</b>						
8-62100054/91		<b>START alignment kit:</b> PROADAS alignment kit by laser pointers for PROADAS TS-3D, composed by: Pair (2) of targets to be mounted on the clamps of the vehicle rear axis, calibration kit, Pair (2) of supports for orthogonality measurements of laser pointer 1 and 2.	-	-	●	■
8-62600006		<b>PROADAS START-</b> camera wheel aligner alignment kit: Kit to align PROADAS START to camera wheel aligner - Long bar, composed by : Pair (2) of supports for long bar target, Pair (2) of adjustment targets, Wi-Fi Router, USB storage key.	-	-	■	●
8-34100025		<b>PROADAS RS/TS</b> - camera wheel aligner alignment kit : Kit to align PROADAS RS/TS to camera wheel aligner - Short bar, composed by: Pair (2) of adjustment targets, Wi-Fi Router, USB storage key.	●	●	-	-
8-62200060		<b>Software enabling kit</b> for wheel aligner C200 iNext - PROADAS : USB software key C200 iNext, software pack + sim card, hardlock, 50 cm USB cable, pedal brake depressor - compatible with tablet 10" Win 10, BT keyboard	●	-	-	-



## PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
<b>COMPLEMENTS</b>						
8-62100021		Pair of 10-26" carbon brackets for cars	●	●	●	●
8-62100061		Pair of 10-21" brackets with pin and extension kit up to 26"	●	●	●	●
8-31600017		Support kit for selfcentering brackets	●	●	●	■
8-62100050		Pair of 13-28" support rapid brackets	●	●	●	●
8-62100062	IMAGE NOT AVAILABLE	Pair of laser pointers for pair of 13-28" support rapid brackets	●	●	●	●






## PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
8-62100038/39		<b>Support panel</b> for 4 sensors, 4 buckets and recharge module	●	●	-	-
8-62100063/92		<b>Pair of brackets</b> for support panel	●	●	●	●
8-62100042		<b>Calibration unit</b> for optical sensors	●	●	-	-
<b>FRONT CAMERA CALIBRATION PANELS (ONLY FOR PROADAS VERSIONS WITH PANELS)</b>						
8-62100037		<b>Toyota/Lexus version 1</b> , Mazda, Suzuki panel, front camera	●	●	●	●

## PROADAS OPTIONAL ACCESSORIES





PN	Picture	Description	RS	TS	TS-3D	START
8-62100045		<b>Toyota/Lexus version 2</b> , Mazda, Suzuki panel, front camera	●	●	●	●
8-62100024		<b>Mercedes panel</b> , front camera	●	●	●	●
8-62100023		<b>Alfa Romeo panel</b> , front camera	●	●	●	●
8-62100025		<b>Nissan panel version 1</b> , front camera	●	●	●	●
8-62100030		<b>Nissan MERCEDES panelb version 2</b> , front camera	●	●	●	●
8-62100026		<b>VAG panel</b> , front camera	●	●	●	●

## PROADAS OPTIONAL ACCESSORIES







PN	Picture	Description	RS	TS	TS-3D	START
8-62100027		KIA-HYUNDAI, FIAT, PSA and JEEP panel, front camera	●	●	●	●
8-62100148		HYUNDAY H350 panel, front camera iONE REMOTE is necessary for calibration	●	●	●	●
8-62100028		Renault and Smart panel, front camera	●	●	●	●
8-62100029		MAZDA panel version 1, front camera	●	●	●	●
8-62100040		Mazda panel version 2, front camera	●	●	●	●







## PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
8-62100041		<b>SUZUKI panel</b> , front camera	●	●	●	●
8-62100065		<b>SUZUKI, ISUZU, MAZDA</b> front camera calibration panel	●	●	●	●
8-62100150		<b>MITSUBISHI panel</b> front camera iONE REMOTE is necessary for calibration	●	●	●	●
8-62100152		<b>SUBARU-TOYOTA panel</b> , front camera iONE REMOTE is necessary for calibration	●	●	●	●






# PROADAS OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START
<b>FRONT CAMERA AND LIDAR CALIBRATION PANELS (FOR ALL PROADAS VERSIONS)</b>						
8-62100043		<b>LIDAR VAG panel</b>	●	●	●	●
8-62100151		<b>HONDA VERS. 1 panel, front camera</b> To be used with P/N 8-621000141 in PROADAS DIGITAL versions iONE REMOTE is necessary for calibration	●	●	●	●
8-62100106		<b>HONDA FRONT CAMERA PANEL VERS. 2 *</b> Calibration panel for the front camera in HONDA vehicles * to be used with P/N 8-621000141 in PROADAS DIGITAL Versions	●	●	●	●
8-61200184		<b>IVECO front camera calibration panel</b> Target panel extension kit for PROADAS DIGITAL P/N 8-62100141 is required. *iONE REMOTE is required	●	●	●	●
8-62100141		<b>TARGET PANEL EXTENSION KIT</b> Kit for using physical panels with PROADAS DIGITAL	●	●	●	●
8-62100161		<b>KIA front camera calibration target</b>	●	●	●	●

## SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT






PN	Picture	Description
0-62103101/00		<b>SCE 700:</b> equipment designed for the calibration of the AVM camera system, rear camera and BlindSpot for VAG group vehicles, composed by: Panel to calibrate the rear VAG camera Pair (2) of vertical targets + supports for AVM camera 1 red laser blade + support
8-62100052		<b>VAG side mats</b> for VAG AVM camera calibration
8-62100067		<b>Rear camera kit - RENAULT</b>
8-62100068		<b>360° CAMERA KIT RENAULT</b> Kit for 360° camera calibration on Renault-Dacia vehicles

## SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT

PN	Picture	Description	
8-62100130		<b>360° camera kit MAZDA</b>	
8-62100142		<b>360° camera kit TOYOTA/LEXUS type 1</b> Kit for 360° camera calibration in TOYOTA/LEXUS type 1 vehicles	
8-62100109		<b>KIA / HYUNDAI 360° CAMERA MATS KIT</b> Kit for 360° camera calibration in Kia-Hyundai vehicles	
8-62100122		<b>MB REAR CAMERA KIT TYPE 2</b> Kit for calibrating the rear camera in MB vehicles	
8-62100146		<b>CALIBRATION TARGET REAR CAMERA TOYOTA/LEXUS</b> Calibration target in rear camera in Toyota/Lexus vehicles	




## SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT




PN	Picture	Description	
8-62100153		<b>NISSAN type 1 rear camera calibration mat kit</b> iONE REMOTE is necessary for calibration	
8-62100154		<b>NISSAN type 2 rear camera calibration mat kit</b> iONE REMOTE is necessary for calibration	
8-62100155		<b>NISSAN type 3 rear camera calibration mat kit</b> iONE REMOTE is necessary for calibration	
8-62100166		<b>OPEL 360</b> camera calibration mat kit	
8-62100167		<b>MITSUBISHI 360</b> camera calibration kit	

# RADAR CALIBRATION EQUIPMENT



## SCE 310

Image	Description	PN
	<p><b>SCE 310:</b> Equipment designed for ADAS radar sensor calibration for Mazda, Toyota, Honda, Subaru, Kia-Hyundai, Suzuki brands</p> <p>* Reflector, Green Laser Blade and distance/height measurement NOT included; please use the ones supplied with PROADAS</p>	0-62103201/91

## ACCESSORIES FOR SCE 300 / 310






PN	Picture	Description	
8-62100046		<b>Reflector type 1</b> for Toyota, Honda, Subaru, Suzuki and Mazda brands. To be used with SCE 310.	
8-62100047		<b>Reflector type 2</b> for Kia, Hyundai and Mazda brands. To be used with SCE 310.	
8-62100149		<b>Reflector type 3 for MITSUBISHI.</b> To be used with SCE 310. iONE REMOTE is necessary for calibration	

## ACCESSORIES FOR SCE 300 / 310

PN	Picture	Description
8-62100107/91		<b>ALIGNMENT KIT SCE 300</b> Kit to be integrated with the SCE 300 equipment to be able to quickly and accurately calibrate the ADAS radar sensors for the Toyota, Honda, Subaru, Kia-Hyundai and Mazda brands
8-62100136		<b>SMART CITY BRAKE-MAZDA CONTROL PANEL</b> Panel for controlling the correct operation of the laser sensor on some Mazda models. To be used with SCE 310.






# RADAR CALIBRATION EQUIPMENT

PN	Picture	Description	
8-62100060/00		<b>VAG - MAZDA Doppler device</b> for Radar-BSD sensors	
8-62100143		Toyota/Lexus <b>parking sensor positioning kit</b>	
8-62100162		<b>VAG front radar calibration panel</b> * *requires support kit code 8-62100178	
8-62100178		<b>Support kit</b>	
8-62100156		<b>Renault type 2</b> radar adjustment template (Captur II) - 2223	

## RADAR CALIBRATION EQUIPMENT

PN	Picture	Description	
8-62100157		<b>Renault type 1</b> radar adjustment template (Clio V) - 2213	
8-62100158		<b>Renault type 3</b> radar adjustment template (Megane IV and Zoe ph.2) - 2224	
8-62100159		<b>Renault type 4</b> radar adjustment template (Master III) - 2207	
8-62100160		<b>Renault type 5</b> radar adjustment template (Espace V) - 2229	
8-62100163		<b>Mercedes type 1</b> radar adjustment template (Romess)	

## RADAR CALIBRATION EQUIPMENT

PN	Picture	Description	
8-62100164		<b>FCA</b> radar adjustment template	
8-62100180		<b>Mercedes type 2</b> radar adjustment template	
8-62100181		<b>VOLVO FRONT CAMERA AND RADAR</b> adjustment template	

## NIGHT SENSOR CALIBRATION EQUIPMENT

PN	Picture	Description	
8-62100165		<b>Night vision VAG*</b> *requires support kit code 8-62100178	
8-62100179/00		<b>Night vision Mercedes-Benz</b>	

## OPTIONAL ACCESSORIES




PN	Picture	Description	RS	TS	TS-3D	START	SCE 300	SCE 700
<b>MISCELLANEOUS</b>								
8-62100138		<b>Kit to update the PROADAS Panel versions</b> in the version with Monitor* composed by: 75" monitor, monitor support plate, minipc, HDMI cable, monitor cover, anti-tipping kit** *it is necessary to order the PROADAS DIGITAL Functionality license, 12 months subscription, cod. 8-62100123, included in the price of the kit **it is necessary to order the WHEEL KIT Ø80mm cod. 8-62100044 for PROADAS produced in 2019.	●	●	●	●	-	-
8-62100069		<b>Protection cover</b> for PROADAS with Panels	●	●	●	●	-	-
8-62100145		<b>Headlight cover kit</b> including 2 headlight covers	●	●	●	●	●	●
8-62100064		<b>Green Laser blade</b>	■	■	■	■	●	●



## OPTIONAL ACCESSORIES



PN	Picture	Description	RS	TS	TS3D	START	SCE 300	SCE 700
8-62100117		<b>Battery charger kit</b> includes: charger with power supply, n. 4 rechargeable batteries type AA, n. 4 rechargeable batteries type AAA	●	●	●	●	●	●
8-62100177		<b>F35</b> Flash battery charger	●	●	●	●	●	●
8-33100050		<b>Steering wheel level</b> water gauge	●	●	●	●	-	-
8-33100081		<b>Brake pedal</b> depressor	●	●	●	●	-	-
8-33100082		<b>Steering lock</b>	■	●	●	●	-	-
8-62100182		<b>Webcam kit for PROADAS DIGITAL</b>	●	●	●	●	-	-

## OPTIONAL ACCESSORIES

PN	Picture	Description	RS	TS	TS-3D	START	SCE 300	SCE 700
8-62100135		<b>PROADAS software kit 2.0:</b> enabling kit to use PROADAS for diagnose of third parties. Windows operating system.	●	●	●	●	●	●
8-62100013		<b>Renewal for PROADAS functionality license,</b> 12 months subscription starting from previous expiry date. Online procedure. It includes one-year updating service starting from the previous expiry date. Windows operating system.	●	●	●	●	●	●
8-62100124		<b>Renewal for PROADAS DIGITAL functionality license,</b> 12 months. Subscription starting from previous expiry date.	●	●	●	●	●	●

# iONE REMOTE

## iONE REMOTE

PN	Description		
0-67501700		<b>iONE REMOTE</b> Remote support device	
8-62500003		<b>Credits for remote diagnosis service – credits (10)*</b> Remote support service for ADAS calibrations. *It is necessary to purchase the iONE REMOTE device	
8-62500004		<b>Credits for remote diagnosis service – credits (30)*</b> Remote support service for ADAS calibrations. *It is necessary to purchase the iONE REMOTE device	

# LIST OF SERVICE iONE REMOTE

## iONE REMOTE



SERVICE	CREDITS
STEERING ANGLE RESET	1
SERVICE RESET	1
ERROR READING AND DELETION/DTC	1
ADAS CALIBRATION, FRONT CAMERA	2
ADAS CALIBRATION, FRONT RADAR	2
ADAS CALIBRATION, FRONT LIDAR	2
ADAS CALIBRATION, REAR CAMERA	2
ADAS CALIBRATION, REAR RADAR	2
ADAS CALIBRATION, BLIND SPOT SENSOR	2
ADAS CALIBRATION, 360° CAMERA	3
ADAS CALIBRATION, FRONT NIGHT VISION SENSOR	2
FRONT CAMERA REPLACEMENT	2
FRONT RADAR REPLACEMENT	2
FRONT LIDAR REPLACEMENT	2
REAR CAMERA REPLACEMENT	2
BLIND SPOT SENSOR REPLACEMENT	2
360° CAMERA REPLACEMENT	2
FRONT NIGHT VISION SENSOR REPLACEMENT	2



# SENSOR ADAS CALIBRATION EQUIPMENT

Modello Model	Modalità lavoro Way of working	Tecnologia Technology	FUNZIONI - FUNCTIONS								
Proadas RS											
Proadas START											
Proadas TS											
Proadas TS-3D											
SCE 310											
SCE 700											

Proadas RS	Proadas START	SCE 310	SCE 700	Con assetto 3D 3D wheel aligners	Con assetto CCD CCD wheel aligners	Telecamera 3D 3D camera	Testine CCD CCD sensors heads	Puntatore Laser Laser pointers	Controllo pos. tempo reale Real time positioning control
Precheck assetto Precheck wheel alignment	Manutenzione assetto Wheel alignment service	Telecamera frontale Front camera	Telecamera posteriore Rear camera	Telecamera 360° 360° camera	Radar frontale Front radar	Radar BSD BSD radar	LIDAR frontale Front LIDAR		

# SELF-DIAGNOSIS

iONE CRUISER



Compatible with

iONE  
TECHDATA





Diagnosis License not Included




iONE CRUISER

PN	Description		
0-67501200		<b>iONE CRUISER</b> New generation diagnostic device, designed to work with all types of vehicles and communication protocols with the different ECU.	
8-67500010	<b>iONE CRUISER</b>	<b>Activation License</b> iONE - Export (Compulsory) Included 12 months update service. Licenses can be activated through SOCIO Collection portal.	









## OPTIONAL ACCESSORIES FOR iONE CRUISER

PN	Picture	Description	
<b>LICENSES AND SUBSCRIPTIONS</b>			
8-67500017		<b>Activation license Security Gateway Management.</b> Includes: 12 months subscription	
8-67500018		<b>Subscription renewal Security Gateway Management - 12 months</b>	
8-67500011		<b>12 Months subscription renewal iONE - EXPORT</b> Update subscription service for valid or expired subscriptions less than 7 months. Included: extension update service of 12 months from the previous expiry date. Renewable through SOCIO Collection portal	
<b>COMPLEMENTARY</b>			
8-67501100		<b>Tablet ANDROID 10" (NOT for ADAS)</b>	

## OPTIONAL ACCESSORIES FOR iONE CRUISER

PN	Picture	Description
8-67500014		<p><b>Activation License</b> iONE TECHDATA - EXPORT Optional license for ONLINE technical data consultation.</p> <p>Available languages: IT, UK, DE, FR, PT, ES, GR. This license is only issued and enabled in combination with an iONE Windows license in course of validity.</p>



It includes following services:



Technical content provided incollaboration with Haynespro



## OPTIONAL ACCESSORIES FOR iONE CRUISER

PN	Picture	Description
8-67500019		<b>STEERING WHEEL RESET FOR iONE CRUISER</b>  STEERING WHEEL RESET (SWR) LICENSE 12 months <b>Steering Wheel Reset</b> is a specific application, fully integrated with the wheel alignment software. Selecting the vehicle automatically loads the Steering Wheel Reset functions as needed, allowing an easy and fast steering wheel angle reset.
8-67500020		<b>USB/Bluetooth Dongle Kit</b> <b>Required for use with the SWR license</b> - Long-range USB/Bluetooth dongle with antenna - USB extension cable with mounting adhesive

### CONNECTIVITY



## ACCESSORIES FOR ADAS & DIAGNOSIS

PN	Picture	Description	
8-62100108		<b>TABLET</b> 10" RUGGED WIN10 – RIS. 1920X1080	
8-33100164		Win10 <b>Laptop</b>	





**COMPANY WITH  
CERTIFIED  
QUALITY SYSTEM  
- ISO 9001 -**